

## Table ENG-5. - Sanitary Facilities

Prince George County, Virginia

The information in this table indicates the dominant soil condition, but does not eliminate the need for onsite investigation. The numbers in the value column range from 0.01 to 1.00. The larger the value, the greater the potential limitation. Limiting features in this report are limited to the top 5 limitations. Additional limitations may exist.

Map Symbol and Soil Name	Pct of Map Unit	Septic Tank Absorption Fields		Sewage Lagoons	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
1A:					
Ackwater	90	Very limited Depth to saturated zone Restricted permeability	1.00  1.00	Somewhat limited Depth to saturated zone	<0.01
Aycock	5	Not Rated		Not Rated	
Montross	5	Not Rated		Not Rated	
1B:					
Ackwater	90	Very limited Depth to saturated zone Restricted permeability	1.00  1.00	Somewhat limited Slope Depth to saturated zone	0.32  <0.01
Aycock	5	Not Rated		Not Rated	
Montross	5	Not Rated		Not Rated	
1C:					
Ackwater	90	Very limited Depth to saturated zone Restricted permeability	1.00  1.00	Very limited Slope Depth to saturated zone	1.00  <0.01
Aycock	5	Not Rated		Not Rated	
Montross	5	Not Rated		Not Rated	
2C3:					
Ackwater	90	Very limited Depth to saturated zone Restricted permeability	1.00  1.00	Very limited Slope Depth to saturated zone	1.00  <0.01
Aycock	5	Not Rated		Not Rated	
Montross	5	Not Rated		Not Rated	

2D3:

# Table ENG-5. - Sanitary Facilities - Continued

Prince George County, Virginia

Map Symbol and Soil Name	Pct of Map Unit	Septic Tank Absorption Fields		Sewage Lagoons	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
2D3:					
Ackwater	80	Very limited		Very limited	
		Depth to saturated zone	1.00	Slope	1.00
		Restricted permeability	1.00	Depth to saturated zone	<0.01
		Slope	1.00		
Aycock	10	Not Rated		Not Rated	
Montross	10	Not Rated		Not Rated	
3:					
Argent	90	Very limited		Very limited	
		Restricted permeability	1.00	Depth to saturated zone	1.00
		Depth to saturated zone	1.00		
Bolling	5	Not Rated		Not Rated	
Muckalee	5	Not Rated		Not Rated	
4A:					
Aycock	85	Very limited		Somewhat limited	
		Depth to saturated zone	1.00	Depth to saturated zone	0.71
		Restricted permeability	0.68	Seepage	0.32
Ackwater	3	Not Rated		Not Rated	
Bonneau	3	Not Rated		Not Rated	
Emporia	3	Not Rated		Not Rated	
Montross	3	Not Rated		Not Rated	
Norfolk	3	Not Rated		Not Rated	
4B:					
Aycock	85	Very limited		Somewhat limited	
		Depth to saturated zone	1.00	Depth to saturated zone	0.71
		Restricted permeability	0.68	Seepage	0.32
				Slope	0.32
Ackwater	4	Not Rated		Not Rated	
Emporia	4	Not Rated		Not Rated	
Montross	4	Not Rated		Not Rated	

## Table ENG-5. - Sanitary Facilities - Continued

Prince George County, Virginia

Map Symbol and Soil Name	Pct of Map Unit	Septic Tank Absorption Fields		Sewage Lagoons	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
4B:					
Norfolk	3	Not Rated		Not Rated	
5:					
Bojac	85	Very limited		Very limited	
		Filtering capacity	1.00	Seepage	1.00
		Depth to saturated zone	0.50		
Pamunkey	8	Not Rated		Not Rated	
Bolling	7	Not Rated		Not Rated	
6:					
Bolling	90	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Restricted permeability	0.50	Seepage	0.50
Argent	5	Not Rated		Not Rated	
Pamunkey	5	Not Rated		Not Rated	
7B:					
Bonneau	85	Somewhat limited		Somewhat limited	
		Depth to saturated zone	0.94	Seepage	0.50
		Restricted permeability	0.50	Depth to saturated zone	0.39
				Slope	0.08
Burrowsville	4	Not Rated		Not Rated	
Emporia	4	Not Rated		Not Rated	
Norfolk	4	Not Rated		Not Rated	
Slagle	3	Not Rated		Not Rated	
7C:					
Bonneau	85	Somewhat limited		Very limited	
		Depth to saturated zone	0.94	Slope	1.00
		Restricted permeability	0.50	Seepage	0.50
				Depth to saturated zone	0.39
Emporia	8	Not Rated		Not Rated	
Slagle	7	Not Rated		Not Rated	

8A:

# Table ENG-5. - Sanitary Facilities - Continued

Prince George County, Virginia

Map Symbol and Soil Name	Pct of Map Unit	Septic Tank Absorption Fields		Sewage Lagoons	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
8A:					
Burrowsville	80	Very limited		Very limited	
		Depth to cemented pan	1.00	Depth to cemented pan	1.00
		Depth to saturated zone	1.00	Seepage Depth to saturated zone	1.00 <0.01
Bonneau	7	Not Rated		Not Rated	
Emporia	7	Not Rated		Not Rated	
Slagle	6	Not Rated		Not Rated	
8B:					
Burrowsville	80	Very limited		Very limited	
		Depth to cemented pan	1.00	Depth to cemented pan	1.00
		Depth to saturated zone	1.00	Seepage Slope	1.00 0.32
Bonneau	7	Not Rated		Not Rated	
Emporia	7	Not Rated		Not Rated	
Slagle	6	Not Rated		Not Rated	
9:					
Catpoint	95	Very limited		Very limited	
		Filtering capacity	1.00	Seepage	1.00
		Depth to saturated zone	0.50		
Muckalee	5	Not Rated		Not Rated	
10:					
Chickahominy	85	Very limited		Very limited	
		Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Restricted permeability	1.00		
Newflat	8	Not Rated		Not Rated	
Peawick	7	Not Rated		Not Rated	
11B:					
Emporia	80	Very limited		Somewhat limited	
		Restricted permeability	1.00	Depth to saturated zone	0.92
		Depth to saturated zone	1.00	Seepage	0.32
				Slope	0.32

# Table ENG-5. - Sanitary Facilities - Continued

Prince George County, Virginia

Map Symbol and Soil Name	Pct of Map Unit	Septic Tank Absorption Fields		Sewage Lagoons	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
11B:					
Bonneau	5	Not Rated		Not Rated	
Burrowsville	5	Not Rated		Not Rated	
Norfolk	5	Not Rated		Not Rated	
Slagle	5	Not Rated		Not Rated	
11C:					
Emporia	80	Very limited		Very limited	
		Restricted permeability	1.00	Slope	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	0.92
				Seepage	0.32
Ackwater	7	Not Rated		Not Rated	
Bonneau	7	Not Rated		Not Rated	
Slagle	6	Not Rated		Not Rated	
12F:					
Emporia	80	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Restricted permeability	1.00	Depth to saturated zone	0.92
		Depth to saturated zone	1.00	Seepage	0.32
Kinston	7	Not Rated		Not Rated	
Slagle	7	Not Rated		Not Rated	
Lynchburg	6	Not Rated		Not Rated	
13D:					
Emporia	45	Very limited		Very limited	
		Restricted permeability	1.00	Slope	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	0.92
		Slope	0.37	Seepage	0.32
Slagle	35	Very limited		Very limited	
		Depth to saturated zone	1.00	Slope	1.00
		Restricted permeability	1.00	Seepage	0.50
		Slope	0.37	Depth to saturated zone	<0.01
Kinston	10	Not Rated		Not Rated	

## Table ENG-5. - Sanitary Facilities - Continued

Prince George County, Virginia

Map Symbol and Soil Name	Pct of Map Unit	Septic Tank Absorption Fields		Sewage Lagoons	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
13D:					
Lynchburg	10	Not Rated		Not Rated	
14:					
Kinston	85	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Restricted permeability	0.50	Seepage	0.50
Emporia	8	Not Rated		Not Rated	
Slagle	7	Not Rated		Not Rated	
15:					
Levy	95	Very limited		Very limited	
		Flooding	1.00	Ponding	1.00
		Restricted permeability	1.00	Flooding	1.00
		Ponding	1.00	Depth to saturated zone	1.00
Muckalee	5	Not Rated		Not Rated	
16:					
Lynchburg	80	Very limited		Very limited	
		Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Restricted permeability	0.50	Seepage	0.50
Aycock	4	Not Rated		Not Rated	
Montross	4	Not Rated		Not Rated	
Norfolk	4	Not Rated		Not Rated	
Rains	4	Not Rated		Not Rated	
Slagle	4	Not Rated		Not Rated	
17:					
Lynchburg	55	Very limited		Very limited	
		Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Restricted permeability	0.50	Seepage	0.50

## Table ENG-5. - Sanitary Facilities - Continued

Prince George County, Virginia

Map Symbol and Soil Name	Pct of Map Unit	Septic Tank Absorption Fields		Sewage Lagoons	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
17:					
Slagle	25	Very limited		Somewhat limited	
		Depth to saturated zone	1.00	Seepage	0.50
		Restricted permeability	1.00	Depth to saturated zone	<0.01
Emporia	10	Not Rated		Not Rated	
Kinston	10	Not Rated		Not Rated	
18A:					
Montross	85	Very limited		Very limited	
		Depth to cemented pan	1.00	Depth to cemented pan	1.00
		Depth to saturated zone	1.00	Seepage	0.50
		Restricted permeability	0.50	Depth to saturated zone	0.22
Ackwater	8	Not Rated		Not Rated	
Aycock	7	Not Rated		Not Rated	
18B:					
Montross	85	Very limited		Very limited	
		Depth to cemented pan	1.00	Depth to cemented pan	1.00
		Depth to saturated zone	1.00	Seepage	0.50
		Restricted permeability	0.50	Slope	0.32
Ackwater	5	Not Rated		Not Rated	
Aycock	5	Not Rated		Not Rated	
Lynchburg	5	Not Rated		Not Rated	
19:					
Muckalee	85	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Restricted permeability	0.50	Seepage	0.50
Bolling	8	Not Rated		Not Rated	
Levy	7	Not Rated		Not Rated	

20:

## Table ENG-5. - Sanitary Facilities - Continued

Prince George County, Virginia

Map Symbol and Soil Name	Pct of Map Unit	Septic Tank Absorption Fields		Sewage Lagoons	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
20:					
Newflat	85	Very limited		Very limited	
		Restricted permeability	1.00	Depth to saturated zone	1.00
		Depth to saturated zone	1.00		
Peawick	8	Not Rated		Not Rated	
Chickahominy	7	Not Rated		Not Rated	
21:					
Norfolk	85	Very limited		Somewhat limited	
		Depth to saturated zone	1.00	Depth to saturated zone	0.71
		Restricted permeability	0.50	Seepage	0.50
Bonneau	4	Not Rated		Not Rated	
Burrowsville	4	Not Rated		Not Rated	
Emporia	4	Not Rated		Not Rated	
Slagle	3	Not Rated		Not Rated	
22A:					
Pamunkey	85	Very limited		Very limited	
		Filtering capacity	1.00	Seepage	1.00
		Restricted permeability	0.50		
Argent	5	Not Rated		Not Rated	
Bojac	5	Not Rated		Not Rated	
Bolling	5	Not Rated		Not Rated	
22B:					
Pamunkey	85	Very limited		Very limited	
		Filtering capacity	1.00	Seepage	1.00
		Restricted permeability	0.50	Slope	0.32
Argent	5	Not Rated		Not Rated	
Bojac	5	Not Rated		Not Rated	
Bolling	5	Not Rated		Not Rated	
23A:					



## Table ENG-5. - Sanitary Facilities - Continued

Prince George County, Virginia

Map Symbol and Soil Name	Pct of Map Unit	Septic Tank Absorption Fields		Sewage Lagoons	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
23A:					
Peawick	85	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Somewhat limited Depth to saturated zone	<0.01
Chickahominy	5	Not Rated		Not Rated	
Newflat	5	Not Rated		Not Rated	
Wickham	5	Not Rated		Not Rated	
23B:					
Peawick	85	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Somewhat limited Slope Depth to saturated zone	0.32 <0.01
Chickahominy	5	Not Rated		Not Rated	
Newflat	5	Not Rated		Not Rated	
Wickham	5	Not Rated		Not Rated	
23C:					
Peawick	85	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Slope Depth to saturated zone	1.00 <0.01
Newflat	8	Not Rated		Not Rated	
Wickham	7	Not Rated		Not Rated	
24:					
Rains	85	Very limited Depth to saturated zone Restricted permeability	1.00 0.50	Very limited Depth to saturated zone Seepage	1.00 0.50
Kinston	5	Not Rated		Not Rated	
Lynchburg	5	Not Rated		Not Rated	
Slagle	5	Not Rated		Not Rated	

25A:

## Table ENG-5. - Sanitary Facilities - Continued

Prince George County, Virginia

Map Symbol and Soil Name	Pct of Map Unit	Septic Tank Absorption Fields		Sewage Lagoons	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
25A:					
Slagle	85	Very limited		Somewhat limited	
		Depth to saturated zone	1.00	Seepage	0.50
		Restricted permeability	1.00	Depth to saturated zone	<0.01
Burrowsville	3	Not Rated		Not Rated	
Emporia	3	Not Rated		Not Rated	
Lynchburg	3	Not Rated		Not Rated	
Montross	3	Not Rated		Not Rated	
Norfolk	3	Not Rated		Not Rated	
25B:					
Slagle	80	Very limited		Somewhat limited	
		Depth to saturated zone	1.00	Seepage	0.50
		Restricted permeability	1.00	Slope	0.32
				Depth to saturated zone	<0.01
Kinston	4	Not Rated		Not Rated	
Montross	4	Not Rated		Not Rated	
Ackwater	3	Not Rated		Not Rated	
Bonneau	3	Not Rated		Not Rated	
Burrowsville	3	Not Rated		Not Rated	
Emporia	3	Not Rated		Not Rated	
25C:					
Slagle	80	Very limited		Very limited	
		Depth to saturated zone	1.00	Slope	1.00
		Restricted permeability	1.00	Seepage	0.50
				Depth to saturated zone	<0.01
Ackwater	7	Not Rated		Not Rated	
Bonneau	7	Not Rated		Not Rated	
Emporia	6	Not Rated		Not Rated	
26:					
Udorthents	75	Not Rated		Not Rated	

## Table ENG-5. - Sanitary Facilities - Continued

Prince George County, Virginia

Map Symbol and Soil Name	Pct of Map Unit	Septic Tank Absorption Fields		Sewage Lagoons	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
26:					
Emporia	4	Not Rated		Not Rated	
Pamunkey	4	Not Rated		Not Rated	
Slagle	4	Not Rated		Not Rated	
Wickham	4	Not Rated		Not Rated	
Argent	3	Not Rated		Not Rated	
Bolling	3	Not Rated		Not Rated	
Bonneau	3	Not Rated		Not Rated	
27:					
Udorthents	80	Not Rated		Not Rated	
Ackwater	3	Not Rated		Not Rated	
Urban Land	3	Not Rated		Not Rated	
Aycock	2	Not Rated		Not Rated	
Emporia	2	Not Rated		Not Rated	
Lynchburg	2	Not Rated		Not Rated	
Newflat	2	Not Rated		Not Rated	
Peawick	2	Not Rated		Not Rated	
Slagle	2	Not Rated		Not Rated	
Wickham	2	Not Rated		Not Rated	
28:					
Urban land	80	Not Rated		Not Rated	
Slagle	3	Not Rated		Not Rated	
Wickham	3	Not Rated		Not Rated	
Ackwater	2	Not Rated		Not Rated	
Aycock	2	Not Rated		Not Rated	
Emporia	2	Not Rated		Not Rated	
Lynchburg	2	Not Rated		Not Rated	
Newflat	2	Not Rated		Not Rated	

# Table ENG-5. - Sanitary Facilities - Continued

Prince George County, Virginia

Map Symbol and Soil Name	Pct of Map Unit	Septic Tank Absorption Fields		Sewage Lagoons	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
28:					
Peawick	2	Not Rated		Not Rated	
29:					
Urban land	70	Not Rated		Not Rated	
Udorthents	20	Not Rated		Not Rated	
Aycock	2	Not Rated		Not Rated	
Slagle	2	Not Rated		Not Rated	
Ackwater	1	Not Rated		Not Rated	
Emporia	1	Not Rated		Not Rated	
Lynchburg	1	Not Rated		Not Rated	
Newflat	1	Not Rated		Not Rated	
Peawick	1	Not Rated		Not Rated	
Wickham	1	Not Rated		Not Rated	
30A:					
Wickham	90	Somewhat limited Restricted permeability	0.50	Somewhat limited Seepage	0.50
Peawick	10	Not Rated		Not Rated	
30B:					
Wickham	90	Somewhat limited Restricted permeability	0.50	Somewhat limited Seepage Slope	0.50 0.32
Peawick	10	Not Rated		Not Rated	
30C:					
Wickham	80	Somewhat limited Restricted permeability	0.50	Very limited Slope Seepage	1.00 0.50
Emporia	7	Not Rated		Not Rated	
Peawick	7	Not Rated		Not Rated	
Slagle	6	Not Rated		Not Rated	
W:					
Water	100	Not Rated		Not Rated	